

Bibliography

Compiled by Ann Wintle

From 1st December 2007 to 31st May 2008

- Arnold, L. J., Roberts, R. G., MacPhee, R. D. E., Willerslev, E., Tikhonov, A. N., and Brock, F. (2008). Optical dating of perennially frozen deposits associated with preserved ancient plant and animal DNA in north-central Siberia. *Quaternary Geochronology* **3**, 114-136.
- Atlihan, M. A., and Meric, N. (2008). Luminescence dating of a geological sample from Denizli, Turkey. *Applied Radiation and Isotopes* **66**, 69-74.
- Bateman, M. D., Buckland, P. C., Chase, B., Frederick, C. D., and Gaunt, G. D. (2008). The Late-Devensian proglacial Lake Humber: new evidence from littoral deposits at Ferrybridge, Yorkshire, England. *Boreas* **37**, 195-210.
- Beerten, K., Rittner, S., Lomax, J., and Radtke, U. (2008). Dose recovery tests using Ti-related ESR signals in quartz: First results. *Quaternary Geochronology* **3**, 143-149.
- Benea, V., Vandenberghe, D., Timar, A., Van den Haute, P., Cosma, C., Gligor, M., and Florescu, C. (2007). Luminescence dating of Neolithic ceramics from Lumea Noua, Romania. *Geochronometria* **28**, 9-16.
- Bezerra, F. H. R., Brito Neves, B. B., Corrêa, A. C. B., Barreto, A. M. F., and Suguio, K. (2008). Late Pleistocene tectonic-geomorphological development within a passive margin -- The Cariatá trough, northeastern Brazil. *Geomorphology* **97**, 555-582.
- Bhatti, I. A., Kim, B. I. E., Kim, M. Y., Lee, J., Kim, H. K., and Kwon, J. H. (2008). The screening and/or identification of different types of irradiated eggs by analyzing photo-stimulated luminescence and thermoluminescence. *Food Control* **19**, 587-591.
- Bhosle, B., Parkash, B., Awasthi, A. K., Singh, S., and Khan, M. S. H. (2008). Role of extensional tectonics and climatic changes in geomorphological, pedological and sedimentary evolution of the Western Gangetic Plain (Himalayan Foreland Basin), India. *Himalayan Geology* **29**, 1-23.
- Bjørnsen, M., Clemmensen, L. B., Murray, A. S., and Pedersen, K. (2008). New evidence of the Littorina transgressions in the Kattegat: Optically Stimulated Luminescence dating of a beach ridge system on Anholt, Denmark. *Boreas* **37**, 157-168.
- Bluszcz, A., Poreba, G. J., and Snieszko, Z. (2007). The basis of the study of the age of the Holocene diluvium on loess areas of the Polish Highlands. *Geochronometria* **28**, 61-66.
- Borejsza, A., Rodríguez López, I., Frederick, C. D., and Bateman, M. D. (2008). Agricultural slope management and soil erosion at La Laguna, Tlaxcala, Mexico. *Journal of Archaeological Science* **35**, 1854-1866.
- Brook, G. A., Marais, E., Srivastava, P., and Jordan, T. (2007). Timing of lake-level changes in Etosha Pan, Namibia, since the middle Holocene from OSL ages of relict shorelines in the Okondeka region. *Quaternary International* **175**, 29-40.
- Brooke, B., Preda, M., Lee, R., Cox, M., Olley, J., Pietsch, T., and Price, D. (2008). Development, composition and age of indurated sand layers in the Late Quaternary coastal deposits of northern Moreton Bay, Queensland. *Australian Journal of Earth Sciences* **55**, 141-157.
- Brooke, B., Ryan, D., Pietsch, T., Olley, J., Douglas, G., Packett, R., Radke, L., and Flood, P. (2008). Influence of climate fluctuations and changes in catchment land use on Late Holocene and modern beach-ridge sedimentation on a tropical macrotidal coast: Keppel Bay, Queensland, Australia. *Marine Geology* **251**, 195-208.

- Bubbenzer, O., Besler, H., and Hilgers, A. (2007). Filling the gap: OSL data expanding 14C chronologies of Late Quaternary environmental change in the Libyan Desert. *Quaternary International* **175**, 41-52.
- Burrough, S. L., and Thomas, D. S. G. (2008). Late Quaternary lake-level fluctuations in the Mababe Depression: Middle Kalahari palaeolakes and the role of Zambezi inflows. *Quaternary Research* **69**, 388-403.
- Busschers, F. S., Kasse, C., van Balen, R. T., Vandenberghe, J., Cohen, K. M., Weerts, H. J. T., Wallinga, J., Johns, C., Cleveringa, P., and Bunnik, F. P. M. (2007). Late Pleistocene evolution of the Rhine-Meuse system in the southern North Sea basin: imprints of climate change, sea-level oscillation and glacio-isostasy. *Quaternary Science Reviews* **26**, 3216-3248.
- Buylaert, J. P., Murray, A. S., Vandenberghe, D., Vriend, M., De Corte, F., and Van den haute, P. (2008). Optical dating of Chinese loess using sand-sized quartz: Establishing a time frame for Late Pleistocene climate changes in the western part of the Chinese Loess Plateau. *Quaternary Geochronology* **3**, 99-113.
- Chen, J., Dai, F., and Yao, X. (2008). Holocene debris-flow deposits and their implications on the climate in the upper Jinsha River valley, China. *Geomorphology* **93**, 493-500.
- Chen, J., Li, X., and Yang, Z. (2008). Baota landslide in the Three Gorges area and its OSL dating. *Environmental Geology* **54**, 417-425.
- Chen, R., and Pagonis, V. (2008). A unified presentation of thermoluminescence (TL), phosphorescence and linear-modulated optically stimulated luminescence (LM-OSL). *Journal of Physics D-Applied Physics* **41**.
- Chithambo, M. L., Ogundare, F. O., and Feathers, J. (2008). Principal and secondary luminescence lifetime components in annealed natural quartz. *Radiation Measurements* **43**, 1-4.
- Chithambo, M. L., Ogundare, F. O., Feathers, J., and Hong, D. G. (2008). The dependence of luminescence lifetimes on additive irradiation in natural sedimentary quartz: sands from Santa Elina, Brazil. In "Physica Status Solidi C - Current Topics in Solid State Physics, Vol 5, No 2 2008." (M. Saarinen, A. Leitch, and R. Botha, Eds.), pp. 630-633. Physica Status Solidi C-Current Topics in Solid State Physics.
- Cohen, T. J., and Nanson, G. C. (2008). Topographically associated but chronologically disjunct late Quaternary floodplains and terraces in a partly confined valley, south-eastern Australia. *Earth Surface Processes and Landforms* **33**, 424-443.
- Correcher, V., Garcia-Guinea, J., Sanchez-Munoz, L., and Rivera, T. (2007). Luminescence characterization of a sodium-rich feldspar. *Radiation Effects and Defects in Solids* **162**, 709-714.
- Dill, H. G., Techmer, A., Weber, B., and Ful, M. (2008). Mineralogical and chemical distribution patterns of placers and ferricretes in Quaternary sediments in SE Germany: The impact of nature and man on the unroofing of pegmatites. *Journal of Geochemical Exploration* **96**, 1-24.
- Domínguez-Rodrigo, M., Mabulla, A., Luque, L., Thompson, J. W., Rink, J., Bushozi, P., Díez-Martin, F., and Alcalá, L. (2008). A new archaic Homo sapiens fossil from Lake Eyasi, Tanzania. *Journal of Human Evolution* **54**, 899-903.
- Engels, S., Bohncke, S. J. P., Bos, J. A. A., Heiri, O., Vandenberghe, J., and Wallinga, J. (2008). Environmental inferences and chironomid-based temperature reconstructions from fragmentary records of the Weichselian Early Glacial and Pleniglacial periods in the Niederlausitz area (eastern Germany). *Palaeogeography, Palaeoclimatology, Palaeoecology* **260**, 405-416.
- Espinosa, G., Golarri, J. I., Santiago, P., and Bogard, J. S. (2008). Optically stimulated luminescence response to ionizing radiation of red bricks (SiO₂, Al₂O₃ and Fe₂O₃) used as building materials. *Revista Mexicana De Fisica* **54**, 17-21.
- Forman, S. L., Marin, L., van der Veen, C., Tremper, C., and Csatho, B. (2007). Little Ice Age and neoglacial landforms at the Inland Ice margin, Isunguata Sermia, Kangerlussuaq, west Greenland. *Boreas* **36**, 341-351.

- Fuchs, M., and Buerkert, A. (2008). A 20 ka sediment record from the Hajar Mountain range in N-Oman, and its implication for detecting arid-humid periods on the southeastern Arabian Peninsula. *Earth and Planetary Science Letters* **265**, 546-558.
- Fuchs, M., Rousseau, D.-D., Antoine, P., Hatté, C., Gauthier, C., Markovic, S., and Zöller, L. (2008). Chronology of the Last Climatic Cycle (Upper Pleistocene) of the Surduk loess sequence, Vojvodina, Serbia. *Boreas* **37**, 66-73.
- Gábris, G., and Nádor, A. (2007). Long-term fluvial archives in Hungary: response of the Danube and Tisza rivers to tectonic movements and climatic changes during the Quaternary: a review and new synthesis. *Quaternary Science Reviews* **26**, 2758-2782.
- Garcia, P., Vaillie, J. R., Benoit, D., Ravotti, F., Artola, L., Sagnes, B., Lorfevre, E., Bezerra, F., and Dusseau, L. (2007). Study of the thermal behavior of the OSL integrated sensor response. *IEEE Transactions on Nuclear Science* **54**, 2272-2275.
- Garcia-Guinea, J., Correcher, V., Sanchez-Munoz, L., Lopez-Arce, P., Townsend, P. D., and Hole, D. E. (2008). Radiation damage of variscite in historic crafts: Solarization, decolouration, structural changes and spectra from ionoluminescence. *Radiation Physics and Chemistry* **77**, 18-22.
- Garcia-Guinea, J., Townsend, P. D., Can, N., Correcher, V., Sanchez-Munoz, L., Finch, A. A., Hole, D., Avella, M., Jimenez, J., and Khanlary, M. (2008). On the spectra luminescence properties of charoite silicate. *Journal of Luminescence* **128**, 403-412.
- Gibling, M. R., Sinha, R., Roy, N. G., Tandon, S. K., and Jain, M. (2008). Quaternary fluvial and eolian deposits on the Belan river, India: paleoclimatic setting of Paleolithic to Neolithic archeological sites over the past 85,000 years. *Quaternary Science Reviews* **27**, 391-410.
- Gong, G. L., Liu, S. S., Xia, B., Sun, W. D., and Huang, B. L. (2008). Spectral study on feldspar thermoluminescence process. *Science in China Series G-Physics Mechanics & Astronomy* **51**, 225-231.
- Goodwin, I. D., Stables, M. A., and Olley, J. M. (2006). Wave climate, sand budget and shoreline alignment evolution of the Iluka-Woody Bay sand barrier, northern New South Wales, Australia, since 3000 yr BP. *Marine Geology* **226**, 127-144.
- Grün, R., Joannes-Boyau, R., and Stringer, C. (2008). Two types of CO₂- radicals threaten the fundamentals of ESR dating of tooth enamel. *Quaternary Geochronology* **3**, 150-172.
- Gumnior, M. (2008). Some new insights on fluvial dynamics and Holocene landscape evolution in the Nigerian Chad Basin. *Zeitschrift Fur Geomorphologie* **52**, 17-30.
- Hansom, J. D., Evans, D. J. A., Sanderson, D. C. W., Bingham, R. G., and Bentley, M. J. (2008). Constraining the age and formation of stone runs in the Falkland Islands using Optically Stimulated Luminescence. *Geomorphology* **94**, 117-130.
- Henriksen, M., Mangerud, J., Matiouchkov, A., Murray, A. S., Paus, A., and Svendsen, J. I. (2008). Intriguing climatic shifts in a 90 kyr old lake record from northern Russia. *Boreas* **37**, 20-37.
- Hoffmann, D. L., Paterson, B. A., and Jonckheere, R. (2008). Measurements of the uranium concentration and distribution in a fossil equid tooth using fission tracks, TIMS and laser ablation ICPMS: Implications for ESR dating. *Radiation Measurements* **43**, 5-13.
- Holdaway, S., Fanning, P., and Rhodes, E. (2008). Challenging intensification: human--environment interactions in the Holocene geoaerchaeological record from western New South Wales, Australia. *The Holocene* **18**, 403-412.
- Hong, D. G., and Choi, J. H. (2008). Investigations on standardized growth curve (SGC) procedure for optical dating of heated quartz. *Journal of Radioanalytical and Nuclear Chemistry* **275**, 613-617.

- Huang, C. C., Pang, J., Zha, X., Su, H., Jia, Y., and Zhu, Y. (2007). Impact of monsoonal climatic change on Holocene overbank flooding along Sushui River, middle reach of the Yellow River, China. *Quaternary Science Reviews* **26**, 2247-2264.
- Jacobs, Z., and Roberts, R. G. (2007). Advances in optically stimulated luminescence dating of individual grains of quartz from archaeological deposits. *Evolutionary Anthropology* **16**, 210-223.
- Jacobs, Z., Wintle, A. G., Duller, G. A. T., Roberts, R. G., and Wadley, L. (2008). New ages for the post-Howiesons Poort, late and final Middle Stone Age at Sibudu, South Africa. *Journal of Archaeological Science* **35**, 1790-1807.
- Jacobs, Z., Wintle, A. G., Roberts, R. G., and Duller, G. A. T. (2008). Equivalent dose distributions from single grains of quartz at Sibudu, South Africa: context, causes and consequences for optical dating of archaeological deposits. *Journal of Archaeological Science* **35**, 1808-1820.
- Jacoby, Y., Grodek, T., Enzel, Y., Porat, N., McDonald, E. V., and Dahan, O. (2008). Late Holocene upper bounds of flood magnitudes and twentieth century large floods in the ungauged, hyperarid alluvial Nahal Arava, Israel. *Geomorphology* **95**, 274-294.
- Jaek, I., Molodkov, A., and Vasilchenko, V. (2007). Possible reasons for anomalous fading in alkali feldspars used for luminescence dating of Quaternary deposits. *Estonian Journal of Earth Sciences* **56**, 167-178.
- Kale, Y. D., and Gandhi, Y. H. (2008). Influence of pre-measurement thermal treatment on OSL of synthetic quartz measured at room temperature. *Journal of Luminescence* **128**, 499-503.
- Keizars, K. Z., Forrest, B. M., and Rink, W. J. (2008). Natural residual thermoluminescence as a method of analysis of sand transport along the coast of the St. Joseph Peninsula, Florida. *Journal of Coastal Research* **24**, 500-507.
- Kim, J.-Y., Oh, K.-C., Yang, D. Y., Choi, W. H., Hong, S. S., and Lee, J. Y. (2008). Stratigraphy, chronology and implied uplift rate of coastal terraces in the southeastern part of Korea. *Quaternary International* **183**, 76-82.
- Krbetschek, M. R., Degering, D., and Alexowsky, W. (2008). Infrared radiofluorescence ages (IR-RF) of Lower Saalian sediments from Central and Eastern Germany. *Zeitschrift Der Deutschen Gesellschaft Fur Geowissenschaften* **159**, 133-140.
- Liritzis, I., Sideris, C., Vafiadou, A., and Mitsis, J. (2008). Mineralogical, petrological and radioactivity aspects of some building material from Egyptian Old Kingdom monuments. *Journal of Cultural Heritage* **9**, 1-13.
- Lopez, G. I., and Rink, W. J. (2008). New quartz optical stimulated luminescence ages for beach ridges on the St. Vincent Island Holocene strandplain, Florida, United States. *Journal of Coastal Research* **24**, 49-62.
- Lunkka, J. P., Murray, A., and Korpela, K. (2008). Weichselian sediment succession at Ruunaa, Finland, indicating a Mid-Weichselian ice-free interval in eastern Fennoscandia. *Boreas* **37**, 234-244.
- Luzón, A., Pérez, A., Soriano, M. A., and Pocoví, A. (2008). Sedimentary record of Pleistocene paleodoline evolution in the Ebro basin (NE Spain). *Sedimentary Geology* **205**, 1-13.
- Mallinson, D., Burdette, K., Mahan, S., and Brook, G. (2008). Optically stimulated luminescence age controls on late Pleistocene and Holocene coastal lithosomes, North Carolina, USA. *Quaternary Research* **69**, 97-109.
- Markovic, S. B., Bokhorst, M. P., Vandenberghe, J., McCoy, W. D., Oches, E. A., Hambach, U., Gaudenyi, T., Jovanovic, M., Zöller, L., Stevens, T., and Machalett, B. (2008). Late Pleistocene loess-palaeosol sequences in the Vojvodina region, north Serbia. *Journal of Quaternary Science* **23**, 73-84.
- Mastronuzzi, G., and Romaniello, L. (2008). Holocene aeolian morphogenetic phases in Southern Italy: Problems in ¹⁴C age determinations using terrestrial gastropods. *Quaternary International* **183**, 123-134.
- Mattingley, D. J., Lahr, M. M., Armitage, S. J., Barton, H., Dore, J. N., Drake, N. A., Foley, R. A., Merlo, S., Salem, M. J., Stock, J. T., and White, K. (2007). Desert migrations; people, environment and culture in the Libyan Sahara. *Libyan Studies* **38**, 115-156.

- Meriç, N., Kosal, M., Altay Atlihan, M., and Rabia Yüce, Ü. (2008). OSL properties of anthropological bone and tooth. *Radiation Physics and Chemistry* **77**, 685-689.
- Millard, A. R. (2008). A critique of the chronometric evidence for hominid fossils: I. Africa and the Near East 500-50 ka. *Journal of Human Evolution* **54**, 848-874.
- Morwood, M. J., Sutikna, T., Saptomo, E. W., Westaway, K. E., Jatmiko, Awe Due, R., Moore, M. W., Yuniawati, D. Y., Hadi, P., Zhao, J. x., Turney, C. S. M., Fifield, K., Allen, H., and Soejono, R. P. (2008). Climate, people and faunal succession on Java, Indonesia: evidence from Song Gupuh. *Journal of Archaeological Science* **35**, 1776-1789.
- Munywaka, K., Choi, J. H., Choi, K. H., Byun, J. M., Kim, J. W., and Park, K. (2008). Coastal dune luminescence chronologies indicating a mid-Holocene highstand along the east coast of the Yellow Sea. *Journal of Coastal Research* **24**, 92-103.
- Nathan, R. P., and Mauz, B. (2008). On the dose-rate estimate of carbonate-rich sediments for trapped charge dating. *Radiation Measurements* **43**, 14-25.
- Newnham, R. M., Vandergoes, M. J., Hendy, C. H., Lowe, D. J., and Preusser, F. (2007). A terrestrial palynological record for the last two glacial cycles from southwestern New Zealand. *Quaternary Science Reviews* **26**, 517-535.
- Ogundare, F. O., and Chithambo, M. L. (2007). On extending the applicability of the initial rise method for thermoluminescence glow peak analysis. *Radiation Effects and Defects in Solids* **162**, 803-807.
- Polikreti, K. (2007). Detection of ancient marble forgery: techniques and limitations. *Archaeometry* **49**, 603-619.
- Pope, R., Wilkinson, K., Skourtsos, E., Triantaphyllou, M., and Ferrier, G. (2008). Clarifying stages of alluvial fan evolution along the Sfakian piedmont, southern Crete: New evidence from analysis of post-incisive soils and OSL dating. *Geomorphology* **94**, 206-225.
- Porat, N., and Botha, G. (2008). The luminescence chronology of dune development on the Maputaland coastal plain, southeast Africa. *Quaternary Science Reviews* **27**, 1024-1046.
- Preece, R. C., Parfitt, S. A., Bridgland, D. R., Lewis, S. G., Rowe, P. J., Atkinson, T. C., Candy, I., Debenham, N. C., Penkman, K. E. H., Rhodes, E. J., Schwenninger, J. L., Griffiths, H. I., Whittaker, J. E., and Gleed-Owen, C. (2007). Terrestrial environments during MIS 11: evidence from the Palaeolithic site at West Stow, Suffolk, UK. *Quaternary Science Reviews* **26**, 1236-1300.
- Prescott, J. R., and Habermehl, M. A. (2008). Luminescence dating of spring mound deposits in the southwestern Great Artesian Basin, northern South Australia. *Australian Journal of Earth Sciences* **55**, 167-181.
- Prudencio, M. I., Marques, R., Rebelo, L., Cook, G. T., Cardoso, G. O., Naysmith, P., Freeman, S., Franco, D., Brito, P., and Dias, M. I. (2007). Radiocarbon and blue optically stimulated luminescence chronologies of the oitavos consolidated dune (Western Portugal). *Radiocarbon* **49**, 1145-1151.
- Pucci, S., De Martini, P. M., and Pantosti, D. (2008). Preliminary slip rate estimates for the Düzce segment of the North Anatolian Fault Zone from offset geomorphic markers. *Geomorphology* **97**, 538-554.
- Quigley, M. C., Sandiford, M., and Cupper, M. L. (2007). Distinguishing tectonic from climatic controls on range-front sedimentation. *Basin Research* **19**, 491-505.
- Ramzaev, V., Bøtter-Jensen, L., Thomsen, K. J., Andersson, K. G., and Murray, A. S. (2008). An assessment of cumulative external doses from Chernobyl fallout for a forested area in Russia using the optically stimulated luminescence from quartz inclusions in bricks. *Journal of Environmental Radioactivity* **99**, 1154-1164.
- Rink, W. J., Wei, W., Bekken, D., and Jones, H. L. (2008). Geochronology of Ailuropoda-Stegodon fauna and Gigantopithecus in Guangxi Province, southern China. *Quaternary Research* **69**, 377-387.

- Roberts, D. L., Bateman, M. D., Murray-Wallace, C. V., Carr, A. S., and Holmes, P. J. (2008). Last Interglacial fossil elephant trackways dated by OSL/AAR in coastal aeolianites, Still Bay, South Africa. *Palaeogeography, Palaeoclimatology, Palaeoecology* **257**, 261-279.
- Rommens, T., Verstraeten, G., Peeters, I., Poesen, J., Govers, G., Van Rompaey, A., Mauz, B., Packman, S., and Lang, A. (2007). Reconstruction of late-Holocene slope and dry valley sediment dynamics in a Belgian loess environment. *Holocene* **17**, 777-788.
- Schulte, L., Julià, R., Burjachs, F., and Hilgers, A. (2008). Middle Pleistocene to Holocene geochronology of the River Aguas terrace sequence (Iberian Peninsula): Fluvial response to Mediterranean environmental change. *Geomorphology* **98**, 13-33.
- Shen, Z., Bloemendal, J., Mauz, B., Chiverrell, R. C., Dearing, J. A., Lang, A., and Liu, Q. S. (2008). Holocene environmental reconstruction of sediment-source linkages at Crummock Water, English Lake District, based on magnetic measurements. *The Holocene* **18**, 129-140.
- Singh, V., Tandon, S. K., Singh, V., Mukul, M., and Thamo-Bozso, E. (2008). Geometry and development of the Jhajara thrust: An example of neotectonic activity in the Pinjaur Dun, NW Himalaya. *Current Science* **94**, 623-628.
- Sinha, R., Bhattacharjee, P. S., Sangode, S. J., Gibling, M. R., Tandon, S. K., Jain, M., and Godfrey-Smith, D. (2007). Valley and interfluvial sediments in the Southern Ganga plains, India: Exploring facies and magnetic signatures. *Sedimentary Geology* **201**, 386-411.
- Spencer, J. Q. G., and Robinson, R. A. J. (2008). Dating intramontane alluvial deposits from NW Argentina using luminescence techniques: Problems and potential. *Geomorphology* **93**, 144-155.
- Srivastava, P., and Misra, D. K. (2008). Morpho-sedimentary records of active tectonics at the Kameng river exit, NE Himalaya. *Geomorphology* **96**, 187-198.
- Stankowski, W. T. J., Raukas, A., Bluszcz, A., and Fedorowicz, S. (2007). Luminescence dating of the Morasko (Poland), Kaali, Ilumetsa and Tsoorikmae (Estonia) meteorite craters. *Geochronometria* **28**, 25-29.
- Sun, J., Li, S.-H., Muhs, D. R., and Li, B. (2007). Loess sedimentation in Tibet: provenance, processes, and link with Quaternary glaciations. *Quaternary Science Reviews* **26**, 2265-2280.
- Telfer, M. W., Bateman, M. D., Carr, A. S., and Chase, B. M. (2008). Testing the applicability of a standardized growth curve (SGC) for quartz OSL dating: Kalahari dunes, South African coastal dunes and Florida dune cordons. *Quaternary Geochronology* **3**, 137-142.
- Thamo-Bozso, E., Magyari, A., Nagy, A., Unger, Z., and Kercsmar, Z. (2007). OSL dates and heavy mineral analysis of Upper Quaternary sediments from the valleys of the Er and Berettyo rivers. *Geochronometria* **28**, 17-23.
- Thomas, P. J., Murray, A. S., Granja, H. M., and Jain, M. (2008). Optical dating of late quaternary coastal deposits in northwestern Portugal. *Journal of Coastal Research* **24**, 134-144.
- Thomas, P. J., Nagabhusanam, P., and Reddy, D. V. (2008). Optically stimulated luminescence dating of heated materials using single-aliquot regenerative-dose procedure: a feasibility study using archaeological artefacts from India. *Journal of Archaeological Science* **35**, 781-790.
- Topaksu, M., and Yazici, A. N. (2007). The thermoluminescence properties of natural CaF₂ after β -irradiation. *Nuclear Instruments and Methods in Physics Research Section B* **264**, 293-301.
- Ukkonen, P., Arppe, L., Houmark-Nielsen, M., Kjær, K. H., and Karhu, J. A. (2007). MIS 3 mammoth remains from Sweden--implications for faunal history, palaeoclimate and glaciation chronology. *Quaternary Science Reviews* **26**, 3081-3098.
- Unkel, I., Kadereit, A., Machtle, B., Eitel, B., Kromer, B., Wagner, G., and Wacker, L. (2007). Dating methods and geomorphic evidence of palaeoenvironmental changes at the eastern margin of the South Peruvian coastal desert (14°30'S) before and during the Little Ice Age. *Quaternary International* **175**, 3-28.

- Ustaszewski, M., Herwegh, M., McClymont, A. F., Pfiffner, O. A., Pickering, R., and Preusser, F. (2007). Unravelling the evolution of an Alpine to post-glacially active fault in the Swiss Alps. *Journal of Structural Geology* **29**, 1943-1959.
- Vandenbergh, D., Derese, C., and Houbrechts, G. (2007). Residual doses in recent alluvial sediments from the Ardennes (Belgium). *Geochronometria* **28**, 1-8.
- Vernet, J. L., Mercier, N., Bazile, F., and Brugal, J. P. (2008). Travertine and terrace of the middle tarn valley at Millau (south of massif central, Aveyron, France): OSL datings, contribution to chronology and palaeoenvironment. *Quaternaire* **19**, 3-10.
- Veronese, I., Göksu, H. Y., Schwenk, P., and Herzig, F. (2008). Thermoluminescence dating of a mikveh in Ichenhausen, Germany. *Journal of Environmental Radioactivity* **99**, 621-630.
- von Suchodoletz, H., Fuchs, M., and Zöller, L. (2008). Dating Saharan dust deposits on Lanzarote (Canary Islands) by luminescence dating techniques and their implication for palaeoclimate reconstruction of NW Africa. *Geochemistry Geophysics Geosystems* **9**.
- Wallinga, J., Davids, F., and Dijkmans, J. W. A. (2007). Luminescence dating of Netherlands' sediments. *Netherlands Journal of Geosciences-Geologie En Mijnbouw* **86**, 179-196.
- Wang, N., and Grapes, R. (2008). Infrared-stimulated luminescence dating of late Quaternary aggradation surfaces and their deformation along an active fault, southern North Island of New Zealand. *Geomorphology* **96**, 86-104.
- Wang, W.D. (2008). Evaluation for the paleodose in thermoluminescence dating of porcelain. *Science in China Series E-Technological Sciences* **51**, 260-267.
- Westaway, K. E., Morwood, M. J., Roberts, R. G., Rokus, A. D., Zhao, J. x., Storm, P., Aziz, F., van den Bergh, G., Hadi, P., Jatmiko, and de Vos, J. (2007). Age and biostratigraphic significance of the Punung Rainforest Fauna, East Java, Indonesia, and implications for Pongo and Homo. *Journal of Human Evolution* **53**, 709-717.
- Westgate, J. A., Preece, S. J., Froese, D. G., Pearce, N. J. G., Roberts, R. G., Demuro, M., Hart, W. K., and Perkins, W. (2008). Changing ideas on the identity and stratigraphic significance of the Sheep Creek tephra beds in Alaska and the Yukon Territory, northwestern North America. *Quaternary International* **178**, 183-209.
- Wilson, K., Litchfield, N., Berryman, K., and Little, T. (2007). Distribution, age, and uplift patterns of Pleistocene marine terraces of the northern Raukumara Peninsula, North Island, New Zealand. *New Zealand Journal of Geology and Geophysics* **50**, 181-191.
- Wintle, A. G. (2008). Fifty years of luminescence dating. *Archaeometry* **50**, 276-312.
- Woda, C., and Fuchs, M. (2008). On the applicability of the leading edge method to obtain equivalent doses in OSL dating and dosimetry. *Radiation Measurements* **43**, 26-37.
- Wolfe, S. E., Hugenholtz, C. H., Evans, C. P., Huntley, D. J., and Ollerhead, J. (2007). Potential aboriginal-occupation-induced dune activity, Elbow Sand Hills, Northern Great Plains, Canada. *Great Plains Research* **17**, 173-192.
- Wright, D. K., Forman, S. L., Kusimba, C. M., Pierson, J., Gomez, J., and Tattersfield, P. (2007). Stratigraphic and geochronological context of human habitation along the Galana River, Kenya. *Geoarchaeology-an International Journal* **22**, 709-728.
- Yang, L., Chen, F., Chun, X., Fan, Y., Sun, Y., Madsen, D. B., and Zhang, X. (2008). The Jilantai Salt Lake shorelines in Northwestern arid China revealed by remote sensing images. *Journal of Arid Environments* **72**, 861-866.
- Yang, X., Zhu, B., Wang, X., Li, C., Zhou, Z., Chen, J., Wang, X., Yin, J., and Lu, Y. (2008). Late Quaternary environmental changes and organic carbon density in the Hunshandake Sandy Land, eastern Inner Mongolia, China. *Global and Planetary Change* **61**, 70-78.

Yim, W. W. S., Hilgers, A., Huang, G., and Radtke, U. (2008). Stratigraphy and optically stimulated luminescence dating of subaerially exposed Quaternary deposits from two shallow bays in Hong Kong, China. *Quaternary International* **183**, 23-39.

Zacharias, N., Beltsios, K., Oikonomou, A., Karydas, A. G., Aravantinos, V., and Bassiakos, Y. (2008). Thermally and optically stimulated luminescence of an archaeological glass collection from Thebes, Greece. *Journal of Non-Crystalline Solids* **354**, 761-767.

Zacharias, N., Beltsios, K., Oikonomou, A., Karydas, A. G., Bassiakos, Y., Michael, C. T., and Zarkadas, C. (2008). Solid-state luminescence for the optical examination of archaeological glass beads. *Optical Materials* **30**, 1127-1133.

Zahedifar, M., Rezaeian, P., and Harooni, S. (2007). Thermoluminescence kinetic analysis of basaltic rocks using a generalized model for exponential distribution of activation energies. *Nuclear Instruments and Methods in Physics Research Section B* **264**, 378-382.

Zazo, C., Dabrio, C. J., Goy, J. L., Lario, J., Cabero, A., Silva, P. G., Bardají, T., Mercier, N., Borja, F., and Roquero, E. (2008). The coastal archives of the last 15 ka in the Atlantic-Mediterranean Spanish linkage area: Sea level and climate changes. *Quaternary International* **181**, 72-87.

Zhang, J. F., Yuan, B. Y., and Zhou, L. P. (2008). Luminescence chronology of "Old Red Sand" in Jinjiang and its implications for optical dating of sediments in South China. *Chinese Science Bulletin* **53**, 591-601.

Editors' Note

As described in the editorial, the editor would like to take this opportunity to thank Prof Ann Wintle for putting together the bibliography for Ancient TL for 23 years, providing an invaluable service to everyone in the luminescence and ESR community.

Future bibliographies in Ancient TL will be produced by Dr Daniel Richter of the Max Planck Institute, Leipzig, who will be joining the Reviewers Panel from 1st July onwards. Colleagues wishing to have their papers included in the bibliography are asked to send hard copies or PDFs of their papers to Dr Richter at 'Max Planck Institute for Evolutionary Anthropology, Department of Human Evolution, Deutscher Platz 6, 04103 Leipzig, Germany' or by e-mail (drichter@eva.mpg.de).